

WANTED

(Continued)

NOVELTIES AND CURIOS. All kinds of Japanese old coins and prints. 20 S. Beretania st. 6391-2m

PRINTING We do not boast of low prices which usually coincide with poor quality; but we "know how" to put life, bustle and go into printed matter, and that is what talks loudest and longest. Honolulu Star-Bulletin Job Printing Department, Alakea street; Branch office, Merchant street.

Business and visiting cards, engraved or printed, in attractive Russia leather cases, patent detachable cards. Star-Bulletin office, 5540-17

PICTURE FRAMING. Miyashita, Nuuanu and Beretania. 6442-3m

PAINT AND PAPERHANGING. Wing Tai Co., 1216 Nuuanu; tel. 4375. Furniture, house painting, papering 6301-6m

S. Shiraki, 1202 Nuuanu; Tel. 4137. Painting and paperhanging. All work guaranteed. Bids submitted free. 6528-4f

PHOTOGRAPHERS. Koyokau, Kukui lane, developing and printing on short notice. 6438-3m

SHIRTMAKERS. YAMATOYA - Shirts and pajamas made to order. 1305 Fort st., opp. Kukui st., phone 2331. 6442-6m

Mrs. S. Masaki, Beret. & Maunakea; dresses and shirtwaists to order 6345-1f

H. Akagi, 1218 Nuuanu st.; shirtmaker 6307-1f

G. Yamatoya, shirts, 1146 Nuuanu st. 6451-3m

SOFT DRINKS. Our sodas will make your business grow. Hon. Soda Water Wks., telephone 3022. 6442-13r

SODA WATER. The best comes from the Hon. Soda Water Wks. That's the kind you want. Telephone 3022. 6442-1y

SAMPLE ROOMS. If you want good quarters to display your samples in Hilo, use Osorio's store. 6940-1f

SHOEMAKER. Lee Yung Hun, shoemaker, 735 King. 6460-3m

TRUNKS AND SUITCASES. The best and cheapest in town. Nakatsu Trunk Store, 1081 River st. 6355-6m

Sakoda, 1079 River st., suit cases, new and second-hand clothing, cheap. 6345-1f

TEA HOUSES. Shioya, Waikiki Beach. Phone 1761. Best Japanese dinner and boating. 6392-3m

Ikeu, best Japanese dinners. T. W. Oda, prop. Tel. 3212. 6183-7f

TAILOR. S. Kuragako, tailor, 425 King st. 6454-3m

TINSMITHS. Saiki, plumber and tinsmith, tel. 4766 6437-3m

UMBRELLA MAKERS. R. Misuta, Umbrellas made and repaired. 1284 Fort, nr. Kukui; phone 3745. 6553-1f

UNDERTAKERS. Undertaker, 1034 King st., phone 5647. 6444-3m

WATCHMAKERS. Diamonds watches and jewelry bought sold and exchanged. J. Carlo, Fort st.

N. Ogata, watches, River st., nr. Hotel. 6457-3m

WOOD AND COAL. Tanaka Co., Pauh, nr. River st., tel. 2857; firewood and charcoal, wholesale and retail. 6297-1f

ESTATE NAWELU KAHAKULANI. NOTICE TO CREDITORS. The undersigned, having been appointed Administrator of the Estate of Nawelu Kahakulani, deceased intestate, late of Kahana, Oahu, hereby gives notice to all persons having claims against said estate to present the same to the undersigned at his office, Bank of Hawaii Building, Honolulu, within six months from the date of the publication of this notice or they will be forever barred. Honolulu, March 30, 1916.

W. O. SMITH, Administrator Estate of Nawelu Kahakulani. 6436-Mar. 30, Apr. 6, 13, 20, 27.

POWER OF ATTORNEY. During my absence from the territory, Flora M. Sinclair will act for me under full power of attorney. A. N. SINCLAIR. Dated at Honolulu, April 25, 1916. 6456-Apr. 25, 27, 29

Thirty-three persons were injured in a street car collision in Chicago.

TRY URINE EYE REMEDY For Red, Weak, Watery Eyes and GRANULATED EYELIDS. Sufferers' names - Southern Cross

BY AUTHORITY. ORDINANCE NO. 98. AN ORDINANCE TO AMEND ORDINANCE NO. 43 OF THE CITY AND COUNTY OF HONOLULU, ENTITLED "AN ORDINANCE ESTABLISHING RULES AND REGULATIONS FOR THE PLUMBING AND DRAINAGE OF BUILDINGS AND THE CONSTRUCTION OF HOUSE SEWERS IN THE CITY AND COUNTY OF HONOLULU, TERRITORY OF HAWAII; PROVIDING FOR THE APPOINTMENT OF PLUMBING INSPECTORS OF THE CITY AND COUNTY OF HONOLULU, AND PRESCRIBING THEIR POWERS AND DUTIES; PROVIDING FOR THE EXAMINATION, REGISTRATION, LICENSING AND BONDING OF PLUMBERS IN THE CITY AND COUNTY OF HONOLULU; AND PRESCRIBING PENALTIES FOR VIOLATIONS OF THE PROVISIONS OF THE ORDINANCE," AS AMENDED BY ORDINANCES NO. 49 AND NO. 86; AND ADDING NEW SECTIONS KNOWN AS 26A AND 26B.

Be It Ordained by the People of the City and County of Honolulu: SECTION 1. Section 8 of said Ordinance is hereby amended to read as follows:

"Section 8. Plans of house plumbing and house sewers and application for connections to be filed. It shall be unlawful for any person or persons, partnership or corporation to do any plumbing work of any description in any building or upon any property or to do any sewer work in the City and County of Honolulu, except in case of stoppage in pipes or repair of leaks in drains, vent pipes, waste pipes, faucets, valves and water supply pipes, without first having filed with the plumbing inspector plans and specifications which shall clearly show and indicate the entire work to be done, the number and character of all fixtures, the size and locations of all drains, waste, soil and vent pipes, traps and clean-outs, and whether connection is to be made with the sewer or with a cesspool.

"It shall be unlawful for any person, partnership or corporation to connect or to aid in, or to cause a connection to be made, or to make use of the public sewer system of the City and County of Honolulu without first having filed an application, written in ink, and obtained the written approval of the plumbing inspector.

"Application shall be signed by the owner or by some one on his behalf, thereto duly authorized, and the applicant shall upon such form answer truthfully without concealment all pertinent questions put to him by authority of this or any other ordinance of the City and County of Honolulu, or the sanitary code of the territorial board of health, or general orders, governing the use of the sewer system of the City and County of Honolulu."

SECTION 2. Section 9 of said Ordinance is hereby amended to read as follows:

"Section 9. Fees for permits. No permits shall be issued to any person or persons, partnership or corporation for doing plumbing work in the City and County of Honolulu until the fees therefor have been paid to the general manager of the water and sewer works department, or his duly authorized agents or representatives, according to the following schedule: The fee for the installation of fixtures shall be fifty (50) cents for each fixture; and for the inspection of any house sewer one dollar (\$1.00); provided that this section shall not apply to the repair of leaks in drains, vent pipes, waste pipes, faucets, valves or water supply pipes or to the removal of obstructions in pipes."

SECTION 3. Section 12 of said Ordinance is hereby amended to read as follows:

"Section 12. House sewer. The term 'house sewer' as used in this Ordinance designates that part of the drain between the 'clean-out' at or near the property lines, or a cesspool, and to within five (5) feet of the building connected or to be connected with the sewer or cesspool.

"House sewers shall not be less than four (4) inches in diameter, and shall be of cast iron pipe or salt glazed vitrified pipe, and shall be laid to a true grade, at least one foot underground. Changes in directions shall be made by 'Y' branches and 1-6, 1-8 or 1-16 bends. Salt glazed vitrified pipe will not be allowed under any building. If salt glazed vitrified pipe is used in the construction of any sewer, it shall have a fall of at least one-quarter of an inch to the foot, the joints shall be made of mortar, composed of equal parts of Portland or other good standard cement and clean-sifted sand, and said joints shall be covered with cloth in laying. A disc entirely filling the house sewer pipe shall be kept in the pipe and drawn forward as each length is laid. When salt glazed vitrified pipe is used in tide or surface water, the same shall be concreted entirely around the pipe to a thickness of at least four (4) inches. When cast iron pipe is used all joints shall be packed with pickled oakum and run with molten lead, and shall be caulked, and shall have a fall of not less than three-sixteenths of an inch to the foot. In the construction of any house sewer no intermediate section of salt glazed vitrified stone pipe shall be used between sections of salt glazed vitrified stone pipe. The free flow of air shall not be obstructed in any house sewer when connected with any cesspool or sewer."

SECTION 4. Section 14 of said Ordinance is hereby amended to read as follows:

"Section 4. Soil pipe. The term 'soil pipe' as used in this Ordinance shall designate the vertical pipe to which one or more water closets or other fixtures are connected. All soil pipe shall be of cast iron or galvanized wrought iron pipe not less than four (4) inches in diameter, and, if of cast iron, in buildings of over three (3) stories, shall be of extra heavy grade. All soil pipe shall be continued unobstructed and undiminished in size not less than one (1)

foot above the roof of the building. All soil pipe shall be run on as straight a line as possible and shall not terminate within ten (10) feet of any window or opening. If galvanized wrought iron pipe is used all the fittings must be recessed and the pipe reamed to full bore.

"In the construction of soil pipes, all cast iron pipes and fittings shall be covered inside and outside with a coating of asphaltum. Changes in direction of soil pipes shall be made by 'Y' branches, and 1-6, 1-8 or 1-16 bends; and in no case shall double hubs be used except for vent fittings where the fittings are to be inverted. Sanitary 'Ts' may be used in vertical runs. Tin pipes and pipes made from sheet metal shall not be used in the construction of soil or waste pipes.

"No four by two (4x2) or other hood fittings shall be allowed to act as a waste or vent pipe through the heel opening, except on vertical lines. The use of cements of any description to repair splits or breaks in cast iron pipes or fittings shall not be allowed.

"Not more than the following number of water closets may be connected on the various sizes of soil pipes designated below:

"12 water closets on 4-inch soil or branch pipe.

"25 water closets on 6-inch soil or branch pipe.

"50 water closets on 8-inch soil or branch pipe.

"No soil or drain pipe shall be more than six (6) inches in diameter, and when a greater number than sixty (60) water closets are in one building, two (2) soil or drain pipes must be run to the main sewer in the street, and shall be continued up to and through the roof in full size; and where vertical lines of soil pipes extend to water closets on the third floor the same must extend full size through the roof."

SECTION 5. Section 16 of said Ordinance is hereby amended to read as follows:

"Section 16. Traps. All fixtures shall be separately and independently trapped as near the opening thereof as is practicable. All traps shall have a water seal of not less than one and one-half (1 1/2) inches in depth and shall be set true to water seal. The size of every trap shall be the same as the waste pipe it serves.

"No grease traps shall in any case be placed under a building or structure. Grease traps shall be used only for restaurants, hotels, tenements and boarding houses. All grease traps shall have a capacity of not less than thirty (30) gallons and shall be constructed subject to the approval of the plumbing inspector.

"No bell trap shall be used in any case.

"Anti-siphon traps shall be used only where the plumbing inspector finds that it is impracticable to use any other.

"All traps in the ground or in concrete shall be of galvanized or cast iron pipe coated with asphaltum.

"All traps with internal partitions or any mechanism forming a seal are strictly prohibited."

SECTION 6. Section 19 of said Ordinance is hereby amended to read as follows:

"Section 19. Water closets. The use of pan, hopper or plunger closets is prohibited. No water closet, slop sink or urinal shall be placed or maintained in any room in which there is not a window opening direct to the external atmosphere; provided that, in lieu thereof, such may be ventilated by means of a shaft or air duct at least eight (8) inches in diameter or of equal area and as near the ceiling as possible, and carried thence through the roof. Stop cocks shall be placed on all supply pipes to water closet tanks, between the tank and the floor.

"In factories, workshops, tenements and rooming houses there shall be provided one (1) water closet for each ten (10) persons, or fraction thereof, of each sex;

"Range closets are strictly prohibited; provided, however, that an exception may be made, by special permission of the Board of Supervisors, in the case of hospitals for insane persons.

"Toilets shall be separate in all cases. All residences shall be provided with at least one water closet and one sink.

"All water closets, earthen or iron, having traps above the floor, using lead connections, shall be fastened to the floor and made perfectly tight with red lead putty connections or by such other method as may be approved of by the plumbing inspector. And when iron connections to water closet traps are used, they shall be cast or galvanized wrought iron pipe with case brass flanges not less than one-eighth of an inch thick and the flanges either caulked or screwed on.

"Rubber gaskets shall not be used."

SECTION 7. Section 22 of said Ordinance is hereby amended to read as follows:

"Section 22. Clean-outs.

"(a) General provisions for all clean-outs. All 'clean-outs' shall be so placed as to be accessible, and where a cement floor is laid said clean-out shall be brought up flush with the floor.

"All 'clean-outs' shall be sealed to the satisfaction of the plumbing inspector and shall not be used as floor drains or for purposes other than the cleaning of fixtures, house or side sewers."

"(b) Clean-outs for plumbing fixtures. 'Clean-outs' shall be installed in all soil and waste pipes, and shall be so placed as to be accessible, and where a cement floor is laid, said clean-outs shall be brought up flush with the floor.

"(c) Clean-outs for house and side sewers. A 'clean-out' for house and side sewer shall be installed in each sewer line between the 'house and the side sewer'; and said 'clean-out' shall be used only for the purpose of cleaning house and side sewer."

SECTION 8. Section 26 of said Ordinance is hereby amended to read as follows:

"Section 26. Exhaust, blow-off and drip pipes. No steam exhaust, blow-off or drip pipe shall be connected to the public sewer except upon the

written approval of the plumbing inspector."

SECTION 9. A new section is hereby added to be designated as Section 26a, said section to read as follows:

"Section 26A. Rain, storm or surface water. It shall be unlawful for any person or persons, partnership or corporation to allow rain, storm or surface water to enter directly or indirectly into a house, side or main sewer of the sewer system of the City and County of Honolulu."

SECTION 10. A new section is hereby added to be designated as Section 26b; said section to read as follows:

"Section 26B. Removal of buildings, structures or fixtures connected to the sewer system. It shall be unlawful for any person or persons, partnership or corporation to demolish or remove any building or structure, or fixtures connected directly or indirectly with the public sewer system without first notifying the plumbing inspector of such intention to demolish or remove said building or structure or to disconnect said fixtures so connected.

"It shall be unlawful for any property owner or his agent or any person to allow any opening in the sewer line caused by the removal of any building or structure or the disconnecting of fixtures to remain unsealed in such a manner as to allow rain, surface or storm water to enter the public sewer system of the City and County of Honolulu."

SECTION 11. Section 31 of said Ordinance is hereby amended to read as follows:

"Section 31. Fees, maintenance and upkeep. The general manager of the water and sewer works departments shall collect all fees provided for by this Ordinance, except plumbers license fees, and shall deposit the same with the treasurer of the city and county, or his deputy, daily as said collections are made. He shall have general charge of the operation, maintenance and upkeep of said department and expenditure of all moneys on account thereof. All warrants for such expenditure upon the city and county treasurer shall be drawn upon the special fund derived from the revenue of said department, or upon any funds appropriated for the purposes of said department, and, unless it shall be so stated upon the face of said warrants, they shall not be paid by him."

SECTION 12. Section 35 of said Ordinance is hereby amended to read as follows:

"Section 35. Additional inspections. If an additional inspection becomes necessary by reason of any non-compliance with the provisions of this Ordinance, or because the work is not ready for inspection at the time the plumbing inspector shall have been notified that it would be ready, a charge of one dollar shall be made for each such additional inspection. All fees for additional inspections shall be paid to the general manager of the water and sewer works departments or his duly authorized agents who shall issue a receipt therefor, and no additional inspection shall be made until said fees are paid."

SECTION 13. When in force. This Ordinance shall take effect from and after the date of its approval.

Introduced by W. LARSEN, Supervisor. Honolulu, T. H., March 21, 1916.

Approved this 25th day of April, A. D. 1916. JOHN C. LANE, Mayor, City and County of Honolulu, T. H. 6459-Apr. 26, 27, 28

SEALED TENDERS. Sealed tenders will be received up to 12 o'clock noon and opened on the 2nd day of May, 1916, at the Office of the Clerk of the City and County of Honolulu, Rooms 8, McIntyre Building, for furnishing all material, tools and labor necessary to construct 7000 lineal feet (more or less) of lava rock curbing and to reset approximately 1600 lineal feet of old curbing on streets within the Auwailohu District, on the slopes of Punchbowl, in the City and County of Honolulu.

Plans, specifications and form of proposal may be had upon application and a deposit of Ten (10) Dollars (\$10.00) at the City and County Clerk's Office.

The Board of Supervisors reserves the right to reject any or all tenders and to waive all defects. D. KALAUOKALANI, Clerk, City and County of Honolulu. 6453-Apr. 19, 20, 21, 22, 24, 25, 26, 27, 28, 29

SEALED TENDERS. Sealed tenders will be received up to 12 o'clock noon and opened on the 2nd day of May, 1916, at the Office of the Clerk of the City and County of Honolulu, Rooms 8, McIntyre Building, for furnishing all material, tools and labor necessary to construct a 2-story Concrete and Frame School Building, in Central Grammar School grounds, Emma Street.

Plans, specifications and form of proposal may be had upon application and a deposit of Ten Dollars (\$10.00) at the Building Inspector's Office, Kapiolani Building.

The Board of Supervisors reserves the right to reject any or all tenders and to waive all defects. D. KALAUOKALANI, Clerk, City and County of Honolulu. 6453-Apr. 19, 20, 21, 22, 24, 25, 26, 27, 28, 29

NOTICE. Notice is hereby given that Tom Say is no longer the manager of nor a partner in the Luen Chong Company, doing business under the restaurant name of "Manhattan Cafe," at No. 79 Hotel street, Honolulu. Anyone extending credit to said Tom Say, for or on account of said Manhattan Cafe, will do so at his own risk. Dated April 26, 1916. Manhattan Cafe, By CHOCK SING, Manager. 6459-6f

BY AUTHORITY. RESOLUTION NO. 495.

Be It Resolved by the Board of Supervisors of the City and County of Honolulu, Territory of Hawaii, that the sum of Two Thousand Eight Hundred Dollars (\$2800.00) be, and the same is hereby appropriated out of all moneys in the Permanent Improvement Fund of the Treasury of the said City and County, for an account to be known as Curbing Streets, Auwailohu District, such Permanent Improvement Fund to be reimbursed by the property owners in said district where property shall be so curbed; and

Be It Further Resolved, That the sum of Two Hundred Dollars (\$200.00) be, and the same is hereby appropriated out of all moneys in the Permanent Improvement fund of the Treasury of the City and County of Honolulu, for an account to be known as Resetting Existing Curbing, Auwailohu District.

Presented by CHAS. N. ARNOLD, Supervisor. Date of Introduction: Honolulu, Hawaii, April 13, 1916.

I hereby certify that the foregoing Resolution passed Second Reading and ordered to print at a meeting held by the Board of Supervisors on Tuesday, April 18, 1916, on the following vote of said board: Ayes: Ahia, Arnold, Hatch, Hollinger, Horner, Larsen, Logan, Tolal, 7. Noes: None. E. BUFFANDEAU, Deputy City and County Clerk. 6458-Apr. 25, 26, 27

RESOLUTION NO. 492.

Be It Resolved by the Board of Supervisors of the City and County of Honolulu, Territory of Hawaii, that the sum of Five Hundred Dollars (\$500.00) be and the same is hereby appropriated out of all moneys in the Permanent Improvement Fund in the Treasury of the City and County of Honolulu, as an advance against the cost of preliminary engineering expenses for the following purpose, the same to be refunded out of the moneys available therefor from the bonds of said improvement, and to be expended for Salaries, Payrolls and Incidentals, to wit:

Beach Walk Improvement District Number Two, \$500.00. Presented by CHAS. N. ARNOLD, Supervisor. Date of Introduction: Honolulu, Hawaii, April 4, 1916.

Approved this 25th day of April, A. D. 1916. JOHN C. LANE, Mayor, City and County of Honolulu, T. H. 6459-Apr. 26, 27, 28

RESOLUTION NO. 491.

Be It Resolved by the Board of Supervisors of the City and County of Honolulu, Territory of Hawaii, that the sum of Twenty-Seven Hundred Dollars (\$2700.00) be and the same is hereby appropriated out of all moneys in the Permanent Improvement Fund in the Territory of the City and County, for an account to be known as Concrete Culvert, Kaneohe.

Presented by CHAS. N. ARNOLD, Supervisor. Date of Introduction: Honolulu, Hawaii, April 4, 1916.

Approved this 25th day of April, A. D. 1916. JOHN C. LANE, Mayor, City and County of Honolulu, T. H. 6459-Apr. 26, 27, 28

SEALED TENDERS. Sealed tenders will be received up to 12 o'clock noon and opened on the 2nd day of May, 1916, at the Office of the Clerk of the City and County of Honolulu, Rooms 8, McIntyre Building, for furnishing all material, tools and labor necessary to construct 7000 lineal feet (more or less) of lava rock curbing and to reset approximately 1600 lineal feet of old curbing on streets within the Auwailohu District, on the slopes of Punchbowl, in the City and County of Honolulu.

Plans, specifications and form of proposal may be had upon application and a deposit of Ten (10) Dollars (\$10.00) at the City and County Clerk's Office.

The Board of Supervisors reserves the right to reject any or all tenders and to waive all defects. D. KALAUOKALANI, Clerk, City and County of Honolulu. 6453-Apr. 19, 20, 21, 22, 24, 25, 26, 27, 28, 29

SEALED TENDERS. Sealed tenders will be received up to 12 o'clock noon and opened on the 2nd day of May, 1916, at the Office of the Clerk of the City and County of Honolulu, Rooms 8, McIntyre Building, for furnishing all material, tools and labor necessary to construct a 2-story Concrete and Frame School Building, in Central Grammar School grounds, Emma Street.

Plans, specifications and form of proposal may be had upon application and a deposit of Ten Dollars (\$10.00) at the Building Inspector's Office, Kapiolani Building.

The Board of Supervisors reserves the right to reject any or all tenders and to waive all defects. D. KALAUOKALANI, Clerk, City and County of Honolulu. 6453-Apr. 19, 20, 21, 22, 24, 25, 26, 27, 28, 29

NOTICE. Notice is hereby given that Tom Say is no longer the manager of nor a partner in the Luen Chong Company, doing business under the restaurant name of "Manhattan Cafe," at No. 79 Hotel street, Honolulu. Anyone extending credit to said Tom Say, for or on account of said Manhattan Cafe, will do so at his own risk. Dated April 26, 1916. Manhattan Cafe, By CHOCK SING, Manager. 6459-6f

OCEANIC STEAMSHIP CO. 8 1/2 DAYS TO SAN FRANCISCO. FOR SAN FRANCISCO: Sonoma May 2, Sierra May 23, Ventura June 13, Sonoma July 4. FOR SYDNEY: Ventura May 8, Sonoma May 29, Sierra June 19, Ventura July 10. C. BREWER & CO., LTD. - - - General Agents

Matson Navigation Company Direct Service Between San Francisco and Honolulu. FROM SAN FRANCISCO: S. S. Lurline May 2, S. S. Wilhelmina May 9, S. S. Manoa May 16, S. S. Matsonia May 23. FOR SAN FRANCISCO: S. S. Matsonia May 8, S. S. Lurline May 3, S. S. Wilhelmina May 17, S. S. Manoa May 23. S. S. Hyades, Seattle for Honolulu direct, April 15, 1916. CASTLE & COOKE, LIMITED, Agents, Honolulu

TOYO KISEN KAISHA Steamers of the above company will call at and leave Honolulu on or about the dates mentioned below: FOR THE ORIENT: S. S. Shinyo Maru April 28, S. S. Persia Maru June 3, S. S. Tenyo Maru June 16, S. S. Nippon Maru July 1. FOR SAN FRANCISCO: S. S. Persia Maru May 13, S. S. Tenyo Maru May 23, S. S. Nippon Maru June 20, S. S. Shinyo Maru June 20. CASTLE & COOKE, LIMITED, Agents, Honolulu

AMERICAN-HAWAIIAN S. S. CO. THE PANAMA CANAL LINE From SEATTLE and TACOMA, S. S. GEORGIAN, to sail on or about April 11th. From Portland, Ore., to Honolulu, S. S. Georgian, to sail about April 5 (via Seattle). For particulars as to rates, etc., apply to C. P. MORSE, General Freight Agent. H. HACKFELD & CO., LTD. Agents.

CANADIAN-AUSTRALIAN ROYAL MAIL LINE Subject to change without notice. For Victoria and Vancouver: Niagara Apr. 28, Makura May 26. For Suva, Auckland and Sydney: Niagara May 17, Makura June 14. THEO. H. DAVIES & CO., LTD., GENERAL AGENTS

MOVEMENTS OF MAIL STEAMERS VESSELS TO ARRIVE Friday, April 28. San Francisco-Shinyo Maru, T. K. K. str. Australia-Niagara, C.A. str. Saturday, April 29. Hilo-Mauna Kea, I.I. str. Sunday, April 30. Kaula-Kinau, Mauna Loa, I.I. str. Molokai, Lanai-Mikahala, I.I. str. Maui-Claudine, I.I. str. VESSELS TO DEPART Friday, April 28. Yokohama-Shinyo Maru, T. K. K. str. Vancouver-Niagara, C.A. str. Maui-Claudine, I.I. str. Saturday, April 29. Hilo-Mauna Kea, I.I. str. Sunday, April 30. (No ships scheduled.)

MAILS Mails are due from the following points as follows: San Francisco-Shinyo Maru, Friday a. m. China and Japan-China, May 6. Australia-Niagara, Friday a. m. Manila-Sherman, May 5. Vancouver-Niagara, May 17. Mail will depart for the following points as follows: San Francisco-Sonoma, 5 p. m., Tuesday. Japan, China and Philippines-Shinyo Maru, 5 p. m. Friday. Australia-Ventura, May 8.

TRANSPORT SERVICE Thomas, at coast. Logan, due May 13 from San Francisco. Sherman, due here from Manila May 5. Sheridan, left here April 15 for Manila, Dix, at Seattle. Embroidery machinery to the value of \$247,464 was invoiced at the American consulate at Pladen, Germany, for the United States during 1915, compared with \$82,330 worth for 1914 and leather gloves at \$412,737, compared with \$832,300.

TIDES, SUN AND MOON. Date High Tide Large, Low Tide Large, Sun Rises, Moon Rises and Sets. April 24 P. M. Ft. A. M. 10:05 1.7 10:12 5:04 2:09 5:31 6:24 0:25. April 25 11:04 1.6 11:32 5:46 3:59 5:30 6:24 1:11. April 26 11:57 1.5 12:30 6:19 5:37 5:30 6:25 1:53. April 27 1:16 1:16 6:49 6:55 5:29 6:25 2:31. April 28 1:57 1.5 0:44 7:16 8:01 5:29 6:26 3:07. April 29 2:34 1.7 1:27 7:43 8:57 5:28 6:26 3:41. April 30 3:10 1.8 2:07 8:09 9:49 5:27 6:26 4:18. Last Quarter of the Moon, April 24th.

H. HACKFELD & CO. Limited Commission Merchants HONOLULU

JAMES NOTT, JR. Plumber and Sheet Metal Worker Phone 2588 74 S. Beretania

Agents in Hawaii for ALLIS-CHALMERS CO. Honolulu Iron Works, Ltd.

DO IT ELECTRICALLY Hawaiian Electric Co.

FREIGHT and TICKETS Also reservations any point on the mainland. See WELLS-FARGO & CO., 72 S. King St. Tel. 1515

OAHU RAILWAY TIME TABLE OUTWARD For Waianae, Waialua, Kahuku and Way Stations - 9:15 a. m., *3:20 p. m. For Pearl City, Ewa Mill and Way Stations - 7:30 a. m., *9:15 a. m., *11:30 a. m., *2:15 p. m., *3:20 p. m., *5:15 p. m., *9:30 p. m., *11:15 p. m. For Wahiawa and Lilehua - *11:02 a. m., *2:40 p. m., *5:00 p. m., *11:30 p. m. For Lilehua - *6:00 a. m. INWARD Arrive Honolulu from Kahuku, Waialua and Waian