

SPECIAL NOTICES.

THE PUBLIC IS HEREBY WARNED THAT I will not be responsible for any debts contracted by my wife, who, without my consent or knowledge, has been and is being kept in the city of Washington.

MIRRORS Made New.

Many a fine mirror is made uselessly by the loss of some of its reflectives. We repair all such mirrors, making mirrors like new. Only \$2.00. Send postal.

Chas. E. Hodgkin, 913 7th St. N.W.

Oscillating Mimeograph.

For your stock of Dry Goods, Fabrics, Clothing, Shoes, etc. of ALL KINDS. Reproduce your own designs, or those of others, on any material. Write for circular.

John C. Parker, 619 7th St. N.W.

THE CHINESE RESTAURANT AT 406 11TH ST.

will be conducted by Sun Sing. With the best cook. Joy Men has nothing to do with it.

YOU CAN GET THE CASH

For your stock of Dry Goods, Fabrics, Clothing, Shoes, etc. of ALL KINDS. Reproduce your own designs, or those of others, on any material. Write for circular.

MY WIFE, BESSIE ROSENTHAL, HAVING LEFT

me, I hereby give notice that I will not be responsible for any debts contracted by her, who, without my consent or knowledge, has been and is being kept in the city of Washington.

DAVID ROSENTHAL, formerly of 2128 14th St. N.W.

IT'S NOT A BIT TOO SOON TO BE ORDERING

for your fall wardrobe. We're cutting Fall Suits and Ties at 50% off. Write for circular.

No Job is Too Small

To be done right. Remember that when you have any repairing or rebuilding to be done, we'll do it for you.

J. E. TERTON & SON, 1328 16th and 1007 K St. N.W.

Binding Books.

Let us refold school and reference books for you, or magazines. 511 9th St. N.W.

It's Sure to Be Cool

Wherever we put in an ELECTRIC FAN, we guarantee cool breezes and comfort while you are at home. Write for circular.

Nat'l Electrical Supply Co.

1425 New York Ave. Phone 833.

Crown Lunch

Better take your meals with us till the folks come home. Regular breakfast, 10c. Dinner, 4 to 8 p.m., 25c.

406 11th St. BETWEEN E AND F.

WANTED - HONEST PEOPLE - NO CASH

required to purchase high-class watches, diamonds and jewelry. Your credit is good. \$10.00 per week.

1425 New York Ave. Phone 833.

TAKE YOUR CHURCH

Of which for family and medicinal use, but remember that THOMP'S BERKELEY is absolutely pure and costs but \$1 for a 50-cent bottle. Indicated anywhere.

THOMP'S, 512 F St. N.W.

Garden Hose, 6 1/2 c. per ft.

And up to 200 feet. Fresh goods and reliable service. Write for circular.

HOLMES & CO., RUBBER GOODS, 511 9TH N.W.

TO OWNERS, IF YOUR HOUSES OR SPACES ARE

VACANT, place them with us AT ONCE. We will rent them for you. Write for circular.

SEE US. All property liberally advertised. Best possible service.

1425 New York Ave. Phone 833.

A STRAIGHTFORWARD QUESTION, PRACTICALLY

is it possible to get life insurance in one of the strongest companies on the American continent? If so, write for circular.

JOHN F. PARKER, 1413 G St. N.W.

Not An Experiment.

Our Best Investment. Write for circular.

LATIMER & NESBIT, 1821 G St. N.W.

Chesapeake Beach Lots.

The success of this summer resort has increased. Nearly \$2,000,000 has been expended in the development of the town.

Electric lights and waterworks. RESIDENCES AND BUSINESS SITES.

\$10 Cash and \$10 a Month.

"I NEVER DISAPPOINT."

Engraved Invitations and Announcements

For fall weddings, in the latest style, at lower prices than you can obtain elsewhere. Orders completed in two days.

BYRON S. ADAMS, Engraver, 512 11th St. N.W.

WANTED - 10,000 PREPARED RISKS!

We insure Risk Duplicates, Furniture and Small Stocks for 20c. Less than any other.

Stock or Mutual Co. other. And guarantee renewals at same rate.

S. H. WALKER, 488 La. Ave. Tel. 141-2.

LOUIS CUNNINGHAM, REAL ESTATE BROKER,

desires to announce that he has removed his office from 1417 G St. N.W. to 1307 F St. N.W.

HOON RAILING AND ENTRANCE STEPS

FOR RENT. Write for circular.

FRED J. WHITE, 24-52nd St. 4th Ave. N.W.

INDEX TO ADVERTISEMENTS.

Table listing various advertisements and their page numbers, including Real Estate, Business, and Personal notices.

WATER DEPARTMENT

Report of Operations for the Past Fiscal Year.

TOTAL OF NEW MAINS CONSTRUCTED

Daily Consumption of Potomac Fluid in the District.

GENERAL CONDITIONS NOTED

Under present conditions, says Capt. Galliard, during the maximum flow from the reservoir to the city, the total loss of head due to contraction by these four twenty-inch valves is 1.24 feet.

Loss Due to Contraction.

Under present conditions, says Capt. Galliard, during the maximum flow from the reservoir to the city, the total loss of head due to contraction by these four twenty-inch valves is 1.24 feet.

Consumption of Water Increasing.

"As the consumption of water in the city is steadily increasing," says Capt. Galliard, "the areas where pressures are defective are increasing, the trouble being greatest on that portion of Capitol Hill in proximity to the main supplying the navy yard."

Observations Compared.

"In contrast to the metered service just described it is interesting to compare observations made in two different sections of the city in 1908, where in each case the amount of water used by a certain definite number of adjoining houses was metered at the service main supplying them, with our knowledge of the occupants of the premises."

For Municipal Purposes.

Capt. Galliard invites attention to the fact that for the first time in the history of the department careful observations, investigations and measurements have been made for the purpose of determining the amount of water used in the District for municipal purposes. It is believed by him that the desired information has been obtained with a fair degree of accuracy, the results being shown in the following table:

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.

Permitting has been obtained from the Secretary of War, Capt. Galliard says, to use a certain land contained in the Howard area, situated on Trumbull street, as a site for a new pumping station.

High-Duty Pumping Engines.

A contract has been entered into with the Wisconsin Pumping Engine Co. of Milwaukee, Wis., for two 20-horsepower high-duty pumping engines for the summer of 1909. The contract for these engines must be completed by December 31, 1902.



A MISFIT TACKLE. Fisherman Bryan: "I'm afraid that my silver hook is too big for my bait and that the sinker is too much for the float."

LOCAL RAINS.

They Are Predicted for Tonight and Tomorrow. Forecast till 8 p.m. Friday: For the District of Columbia, Maryland and Virginia, local rains tonight and probably Friday; moderate temperature; light to fresh southwesterly winds.

Weather conditions and general forecast:

The barometer is low this morning in the St. Lawrence valley and over Montana. It is 30.4, high over the east Gulf states and Florida.

Local rains and thunder storms have occurred over a narrow belt extending from Iowa to New England, by way of the Ohio valley and the middle Atlantic states.

The temperature is above the seasonal average in the Ohio valley, Tennessee and over the Atlantic seaboard south of New Jersey.

Local rains and thunder storms are in the offing for tonight and Friday in the Ohio valley, middle Atlantic and New England states, also in the lower Mississippi valley and Florida.

Moderate temperatures are indicated for the above named districts; the changes elsewhere will be unimportant.

On the New England middle Atlantic coast the winds will be light to fresh southerly. On the south Atlantic coast light to fresh southwesterly winds will prevail.

The following heavy precipitation (in inches) has been reported during the past twenty-four hours: Keokuk, 3.16; Port Easton, 1.45; New Orleans, 1.14; Parkersburg, 1.23; Columbus, 1.24; Albany, 1.00; Portland, Me., 1.44; Point Pleasant, W. Va., .31; Weston, W. Va., 1.50; New Bern, N. C., 1.00.

Records for Twenty-Four Hours.

The following were the readings of the thermometer and barometer at the weather bureau for the twenty-four hours beginning at 8 a.m. yesterday:

Thermometer—August 15, 4 p.m., 91; 8 p.m., 84; 12 midnight, 79; August 16, 4 a.m., 74; 8 a.m., 76; 12 noon, 88; 2 p.m., 90; Maximum, 90; minimum, 74.

Barometer—August 15, 4 p.m., 29.88; 8 p.m., 29.97; 12 midnight, 30.00; August 16, 4 a.m., 30.05; 8 a.m., 30.07; 2 p.m., 30.02.

Condition of the Water.

Temperature and condition of water at 8 a.m.: Great Falls reservoir, 75; condition, 75; receiving reservoir, temperature, 78; condition, 78; Potomac river, condition at south connection, 73; distributing reservoir, temperature, 75; condition at inlet gate, 76; effluent gate house, 36.

Up-River Water.

Both rivers at Harper's Ferry reported clear this morning.