

SPECIAL NOTICES.

Roofs Painted & Repaired... Chemical Roofing Co., T. J. Donnan, Mgr.

TO DEALERS, Private School & College Principals... It will pay you to examine our extensive line of SCHOOL SUPPLIES.

E. MORRISON PAPER CO. 1000 PENNSYLVANIA AVENUE. #21-4,88-14

No More Roof Troubles... after Corbett, the practical and expert tinner, has given the roof a thorough repairing.

Excellent Polishing Oils... A Little Polishing Oil here and there will brighten and freshen things. We'll supply you the best.

Roofs Need Iron-Clad Paint... It's a superior roof paint. A help to any roof. Cures leaks quickly & permanently.

Electric Fans at COST... A GOOD time to buy, although electric fans are not needed so much just now.

We'll Soon Have All the Cypress Fencing You'll Need... A cargo of 150 16 ft Cypress Fencing will shortly arrive.

Thos. W. Smith, 1st St. & Ind. Ave. Working Factory, 1st and O Sts. e. s. #19-6,88-10

Grafton & Son, 714 1/2 St. N.W. #19-104

Anti-Trust Photo Supplies... Anti-Trust Photo Supplies, 614 9th St. N.W. #19-17-10

Money at 4 1/2 & 5%... STONE & FAIRFAX, 814 8th St. N.W. #19-104

DIAMONDS WE BUY OUR DIAMONDS BACK... BEN. EINSTEIN, DEALER IN METALS, SCRAP IRON, MACHINERY, etc.

MR. E. MILLON, PSYCHIC, 914 NEW YORK AVE. #19-104

SUN-DOWN PRINTERS... Columbia Typographical Union Discusses Subject.

It was therefore resolved... that any member of this union who solicits work by doing competitive printing at working hours and receiving pay for a day's work from an employer...

On motion the sum of \$25 was voted as to the Stone and Builders' Labor Union... as to reflect discredit on our honesty and integrity as union men.

An appeal was received from a committee of the printing press workers of Baltimore, Md., asking for the aid of the typographical union in their fight against a Baltimore firm.

It was announced that the papers of the proceedings of the international convention, held in Canada, would be read by the secretary of the union.

DEPARTURE IN POLITICS... New Deal to Be Inaugurated in Richmond Election Tomorrow.

Special Correspondence of The Star. RICHMOND, Va., August 21, 1905.

For the first time in half a century, the election in this city tomorrow night will be in charge of business and professional men who have volunteered for the work.

They were named by the city committee, and to the amazement of many professional politicians, the gentlemen have signified their intention to act.

The meeting named a committee of fifty to present the request for a new grand jury to Judge W. H. C. Roper.

Everybody's Going to Chase's... Splendid vaudeville. Coolest spot in town. Daily matinee, 25c. Evenings, 25c. and 50c.

TYPHOID FEVER

Decrease Noted in the Number of Cases.

FIGURES FOR TODAY... EIGHT NEW CASES ONLY SINCE LAST REPORT.

Three Deaths and One Recovery in Forty-Eight Hours — Effect of Filtered Drinking Water.

Still increasing, but not so rapidly as at the beginning of last week, typhoid fever in the District has not yet reached the maximum of its development for the present outbreak.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

At 6 o'clock this morning the water from filter bed No. 1 of the filtration plant was turned into the District distribution system.

FAIR TONIGHT.

Tomorrow Partly Cloudy and Warmer; Light to Fresh Winds.

Forecast till 8 p.m. Tuesday—For the District of Columbia and Maryland, fair to light to fresh winds and warmer.

Maximum temperature past twenty-four hours, 82; a year ago, 86.

Weather conditions and general forecast—There have been local showers in the middle Atlantic states, the south and southwest, Utah, Nevada and northern Arizona.

Temperatures are higher, as a rule, over the eastern half of the country, and somewhat lower over the western half.

A disturbance of well-defined character is moving over the middle Atlantic states, and there will be local showers in the upper Mississippi valley, an upper lake region; elsewhere the weather has been generally fair.

The winds along the middle Atlantic coast will be light to fresh, becoming southerly; in the west, light to moderate, westerly to east; on the east gulf coast, light and variable, and on the lower lakes fresh to brisk southwest to west, probably thunder squalls.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

IN THE BIG PRINT SHOP

COMPLETING LIBRARY FOR SUB-GEON GENERAL.

General and Personal Matters of Interest at the Government Printing Office.

The government printing office is completing the tenth volume of an index catalogue for the office of the surgeon general, this being the second series of the same import.

Twenty-six large volumes of index catalogues have been ordered by the time the present series is completed there will be sufficient material on hand for a third series.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

The following heavy precipitation (in inches) was reported during the past twenty-four hours: St. Paul, 1.40; Green Bay, 1.20; Greenville, Tex., 4; Stillwater, Okla., 1.92.

REPAIRS NEARLY DONE

TROUBLE OVER THE DALECARLIA RESERVOIR.

Inability to Discontinue Use of Bypass Conduit for Local Water Supply.

An official investigation of conditions existing at the Dalecarlia, or receiving reservoir, has convinced the army engineers in charge of the Washington aqueduct that the by-pass conduit around the reservoir cannot be closed at this time without seriously reducing the local water supply.

It is expected that General Bates, the acting secretary of war, will today make a report to the communication of the District Commissioners relative to conditions at the Dalecarlia reservoir.

The reports were not made public today, but it is known that they show that the formation of a bar at the upper entrance of the reservoir seriously threatened the city and that the work has been in progress since last fall for the removal of that obstacle to the free passage of water into the city mains.

It is stated that although the reduced flow of water necessitated the temporary use of the by-pass conduit the reservoir itself has continued in operation as usual.

Although it is admitted that the dredging stirrs up the mud near the entrance to the basin it is contended that the water will be cleared in time for sedimentation during its subsequent progress through the entire length of the reservoir, and that it is subject to still further sedimentation in the big Washington city reservoir, near Howard University, into which also flows the water from the by-pass conduit.

As a means to expedite the work and in order to avert any possible cause of criticism on that point, Gen. Mackenzie gave directions against the further use of the by-pass conduit at this time if such a possibility were possible through a serious reduction of the water supply to the city.

As the work progresses, an investigation of the situation convinced the army engineers that the partially clogged up entrance channel of the reservoir prevented the free flow of water into the city mains.

As a result of the investigation, the daily demands of the city and that the continued use of the by-pass conduit to a limited extent at least, was necessary.

The work on the reservoir will be completed in a few days.

Time for Sedimentation. Although it is admitted that the dredging stirrs up the mud near the entrance to the basin it is contended that the water will be cleared in time for sedimentation during its subsequent progress through the entire length of the reservoir, and that it is subject to still further sedimentation in the big Washington city reservoir, near Howard University, into which also flows the water from the by-pass conduit.

As a result of the investigation, the daily demands of the city and that the continued use of the by-pass conduit to a limited extent at least, was necessary.

The work on the reservoir will be completed in a few days.

Time for Sedimentation. Although it is admitted that the dredging stirrs up the mud near the entrance to the basin it is contended that the water will be cleared in time for sedimentation during its subsequent progress through the entire length of the reservoir, and that it is subject to still further sedimentation in the big Washington city reservoir, near Howard University, into which also flows the water from the by-pass conduit.

As a result of the investigation, the daily demands of the city and that the continued use of the by-pass conduit to a limited extent at least, was necessary.

The work on the reservoir will be completed in a few days.

Time for Sedimentation. Although it is admitted that the dredging stirrs up the mud near the entrance to the basin it is contended that the water will be cleared in time for sedimentation during its subsequent progress through the entire length of the reservoir, and that it is subject to still further sedimentation in the big Washington city reservoir, near Howard University, into which also flows the water from the by-pass conduit.

As a result of the investigation, the daily demands of the city and that the continued use of the by-pass conduit to a limited extent at least, was necessary.

The work on the reservoir will be completed in a few days.

Time for Sedimentation. Although it is admitted that the dredging stirrs up the mud near the entrance to the basin it is contended that the water will be cleared in time for sedimentation during its subsequent progress through the entire length of the reservoir, and that it is subject to still further sedimentation in the big Washington city reservoir, near Howard University, into which also flows the water from the by-pass conduit.

As a result of the investigation, the daily demands of the city and that the continued use of the by-pass conduit to a limited extent at least, was necessary.

The work on the reservoir will be completed in a few days.

Time for Sedimentation. Although it is admitted that the dredging stirrs up the mud near the entrance to the basin it is contended that the water