

R. H. TAYLOR,

933 Pennsylvania Avenue.

SPECIAL SALE

LADIES', MISSES', AND BOYS' SHIRT WAISTS.

REDUCED FROM \$1.25 TO 75c EACH

LADIES' AND CHILDREN'S BATHING SUITS

REDUCED FROM \$2.25 TO \$1.50 EACH

DISCOUNT OF 20 PER CENT. Off Spring and Summer Suits, Wraps, Travelling Wraps, and Wrappers.

10 PER CENT. DISCOUNT On Men's, Ladies', and Children's Furnishings.

SCHOOL OUTFITS. SEATON PERRY

Invites the special attention of Parents, Teachers, and all who are preparing for school.

FOR SCHOOL, TO THE VERY LARGEST STOCK OF ALL WOOD, SCOTCH PLAINS, GENTS' AND LADIES' SUITS.

INDICATED JERSEYS FROM \$2.50 TO \$5.00

SHIRTS, ALPACA, CASHMERE AND BELGIAN

WARRANTED THOMPSONS, AND FRENCH

SEATON PERRY, PERRY BUILDING, Pennsylvania Avenue, Corner Ninth Street.

GET THE Alaska Refrigerator!

THE BEST IN THE MARKET

LOW TEMPERATURE. DRY CIRCULATION. AND LOW PRICES.

Testimonials from all who have used them.

Remember, it is the only refrigerator sold with the privilege of returning if it does not do as represented.

W. H. HOEKE, SOLE AGENT.

601 Market Space and 308 and 319 Eighth St.

BABY CARRIAGES. FULL LINE AT BOTTOM PRICES.

THE BALDWIN Dry Air Refrigerator!

POSSESS REMARKABLE PRESERVING QUALITIES.

ARE SIMPLE IN CONSTRUCTION. SOLEIGNOUS AS TO DESIGN FOR SPECIAL PURPOSES.

FOR GROCERS USE THE Patent Butter Counter

Marvel of Usefulness.

It is a Tub of Butter is displayed to them, they, or a tub, without the BALDWIN TUB, while the Refrigerator is automatically closed, thus preventing the escape of cold air or the usual blast of cold air upon the face.

428 Ninth Street, Between D and E.

ELPHONZO YOUNGS, SOLE AGENT.

THE BREVITY BASKET.

Filled With Brief Mention of Many Minor Events of Yesterday.

Senators found the horse shoe. National lock has returned.

Thomas Parker, a colored man, was held in jail for the grand jury yesterday for assault with intent to kill Patrick Leahy.

A set of harness valued at \$15 was stolen yesterday from the residence of Patrick Leahy, corner First and C streets southwest.

John Timoney, who broke a woman's arm Wednesday night, was held in jail yesterday for the grand jury.

For selling liquor on Sunday John Fitzgerald was fined \$20 in the police court yesterday on complaint of D. S. Townsend, a claim agent.

A watch, suit of clothes, and some other articles valued at \$25 were stolen from Edward Hart, of the seaman's address Fuller and Broadway.

Three months in jail was awarded Salvia Golden, a colored man, in the police court yesterday for stealing two gold rings from Mr. George Hart.

John Brown has taken a mechanic's lien on parts of a lot 37 and 25, square 65, for \$127.75, for material furnished in the repairs of the building on the lot.

In the case of Peasley T. Jenkins, who seeks divorce from his wife, Frances T. Jenkins, on the ground of desertion, Judge Hagner yesterday directed an order of publication to be made.

William Nally, the young white man who was discovered in White & Overman's saloon yesterday morning, was held in jail for the grand jury.

The colored man Layton, who had some trouble with the police yesterday, was held in jail for the grand jury.

Three young roughs, named George Green, James McNeill, and Dan Brady, were charged with assaulting a gentleman, named Altman, in the police court yesterday, and from an affidavit were sentenced to three months in jail.

A hotelier named Daniel Smith fell from a new building near Fourth and Pennsylvania streets, yesterday afternoon and broke several ribs.

Andrew Jackson was fined \$10 and sent to jail for two days for being drunk yesterday.

The secretary of the Plumbers' association has written a letter to the commissioners calling attention to the resolution adopted at a recent meeting.

An interesting single shell race took place on the river yesterday evening for a gold medal.

A special meeting of the United Veteran Corps was held at the armory, Masonic temple, on Wednesday evening.

Building permits were issued yesterday to John W. Donn, erect a two-story dwelling.

SEATON PERRY, PERRY BUILDING, Pennsylvania Avenue, Corner Ninth Street.

THE WOOD-NASTINESS. Judge Hagner Expresses an Opinion on the Alexandria Story.

Justice Hagner, sitting in chambers yesterday, heard the application of Elizabeth Wood for alimony pending a decree in the suit for divorce brought against her by her husband, Foster P. Wood.

Mr. Hagner said that a similar application had been made and denied, but it was renewed, supported by affidavits, which she denied the charge of having committed adultery.

Mr. Wood, in his affidavit, denied having committed adultery, and she introduced him to her, and she was driving her car at the time two other gentlemen on the street.

Mr. Wood, in his affidavit, denied having committed adultery, and she introduced him to her, and she was driving her car at the time two other gentlemen on the street.

George Wolley deposed that he was in Alexandria and met Vollmar, who took him to a room and there introduced him to Mrs. Wood as his wife.

Mr. Wood, in his affidavit, denied having committed adultery, and she introduced him to her, and she was driving her car at the time two other gentlemen on the street.

THE DEMAND OF THE DISTRICT LABORERS. Commissioner of Street Improvements

Commissioner of Street Improvements

It is worth a dollar to see the National

Hotel Personal.

HEATING SCHOOL HOUSES.

A Committee of Justices Evolve Some Interesting Facts and Figures.

The committee consisting of Clinton Vermillion, J. B. Ferguson, and W. H. Sheld, members of the public schools, appointed by the commissioners some time ago to determine the best way of heating the public schools

and the best method to be used, have submitted their report to the commissioners.

The report gives the following as a comparative statement of the cost of the various heaters per room in the public schools from July 1, 1883, to July 1, 1884.

Stove heaters, 2000 ft. room, \$2.50; Radiator, 8 rooms, \$2.42; Ammonia, 8 rooms, \$2.35; Alcohol, 8 rooms, \$2.28; Gas, 8 rooms, \$2.21; Oil, 8 rooms, \$2.14; Water, 8 rooms, \$2.07; Steam, 8 rooms, \$1.99.

The committee recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

HEATING SCHOOL HOUSES.

A Committee of Justices Evolve Some Interesting Facts and Figures.

The committee consisting of Clinton Vermillion, J. B. Ferguson, and W. H. Sheld, members of the public schools, appointed by the commissioners some time ago to determine the best way of heating the public schools

and the best method to be used, have submitted their report to the commissioners.

The report gives the following as a comparative statement of the cost of the various heaters per room in the public schools from July 1, 1883, to July 1, 1884.

Stove heaters, 2000 ft. room, \$2.50; Radiator, 8 rooms, \$2.42; Ammonia, 8 rooms, \$2.35; Alcohol, 8 rooms, \$2.28; Gas, 8 rooms, \$2.21; Oil, 8 rooms, \$2.14; Water, 8 rooms, \$2.07; Steam, 8 rooms, \$1.99.

The committee recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

HEATING SCHOOL HOUSES.

A Committee of Justices Evolve Some Interesting Facts and Figures.

The committee consisting of Clinton Vermillion, J. B. Ferguson, and W. H. Sheld, members of the public schools, appointed by the commissioners some time ago to determine the best way of heating the public schools

and the best method to be used, have submitted their report to the commissioners.

The report gives the following as a comparative statement of the cost of the various heaters per room in the public schools from July 1, 1883, to July 1, 1884.

Stove heaters, 2000 ft. room, \$2.50; Radiator, 8 rooms, \$2.42; Ammonia, 8 rooms, \$2.35; Alcohol, 8 rooms, \$2.28; Gas, 8 rooms, \$2.21; Oil, 8 rooms, \$2.14; Water, 8 rooms, \$2.07; Steam, 8 rooms, \$1.99.

The committee recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

The committee also recommended the use of the radiator heater, as being the most economical and the best adapted to the buildings.

GREAT CLOSING SALE

Cotton Underwear and Corsets, BAUM'S.

JUST RECEIVED FROM EUROPE.

Mr. LISNER, while in Paris last month, purchased 750 dozen Jerseys direct from the manufacturers.

Our new stock of Jerseys can be had at 98c., 1.10, 2.25, 2.48, 2.68, 3.45, 3.68, 3.98, and 4.98 each; in Black, Cream, Navy, and Marine Blue, Garnet, Brown, Green, Pink, &c. In silk at 9.98 and 11.98.

LOT I—123 Pieces of Cotton Underwear, Odds and Ends, now at 59c., former price 75, 85, and 95c.

LOT II—72 Pieces of Odds and Ends, now at 73c. Former prices, 1.00, 1.18, and 1.22.

LOT III—50 Pieces, Slightly Soiled, now at 92c. Former prices, 1.40, 1.50, and 1.65.

LOT IV—Balance of our Summer Corsets, now at 75c.

LOT V—About 72 Hand-Sewed, Genuine Whalebone, Double Bust Corsets, now at 88c. Former price has been 1.25

BAUM'S, No. 416 SEVENTH STREET.

ROBINSON, PARKER & Co. ONE-PRICE CLOTHIERS,

No. 319, S. E. Corner Seventh and D Streets.

The Wisest Thing to Do Before Leaving the City for the Summer

IS TO GO TO WINDSOR'S SHOE PARLOR AND GET SUPPLIED WITH HIS ELEGANTLY FITTING AND SUPERBLY WEARING SHOES!

H. C. WINDSOR, 1223 New York Avenue, Near 16th Street.

SPECIAL CLOSING SALE

20 pieces Wide Irish Point, 25c a yard.

25 pieces Swiss Embroidery, 15c a yard.

10 pieces Swiss Embroidery, 18c a yard.

5 pieces Swiss Embroidery, 25c a yard.

15 pieces Oriental Lace, 10c a yard.

10 pieces Pearl Edge Oriental, 12c a yard.

10 pieces Oriental Lace, 18c a yard.

5 pieces Oriental Lace, 25c a yard.

10 pieces Cotton Lace, 5c a yard.

15 pieces Extra Quality Red and Blue Embroidery at 8, 10, 12, 15 and 16c a yard.

25 doz. Ladies' Irish Point Collars at 12 1/2c each.

A Decided Bargain—A complete lot of Dr. Warner's Corsets, the Health, Coralline, and Flexor Hips, at 8 and 12.25.

Dr. Warner's Special Corset, 4c.

All kinds of Imported and Domestic Corsets, in Elastic, Medium, and Extra Length, from 50c to \$2.00 a pair.

I HAVE NOW IN STOCK A complete and carefully-selected assortment of SPRING AND SUMMER GOODS, comprising Suits, Trousers, and Vests. They are of my own importation, and include all of the latest and most approved styles.

Yours respectfully, H. D. BARR, Importing Tailor, 1111 Pennsylvania Avenue, Washington, D. C.