

RICHMOND, FREDERICKSBURG AND POTOMAC RAILROAD

Schedule in effect May 28th, 1905.

LEAVE NORTHWARD.

6.09 A. M. daily. Stops on signal at Occoquan Sundays only.

8.59 A. M. daily. Stops at Alexandria, 10.39 A. M. daily. Stops on signal at Leland, Brooke, Aquia, Wide Water, Quantico, Cherry Hill, Freestone, Negley, Occoquan, Lorton, Acocotin, Franconia, Seminary and Alexandria.

1.43 P. M. daily except Sunday. Stops at Alexandria.

6.48 P. M. daily. Stops on signal at Brooke, Wide Water, Quantico, and Alexandria.

10.59 P. M. daily. Stops at Alexandria. Stops on signal at Occoquan on Sundays only.

LEAVE SOUTHWARD.

5.55 A. M. daily except Sunday, Richmond accommodation. Makes stops at

6.21 A. M. daily. Atlantic Coast Line train. Stops on signal at Wide Water, Summit, Guinea, Woodlawn, Penola, Rutherglen, Taylorville, and Glen Allen Sundays only. and at Alexandria, Brooke, Milford, Doswell and Ashland daily.

9.48 A. M. daily except Sunday. Makes local stops on signal.

12.39 P. M. daily, S. A. L. train. Stops on signal at Lorton and Occoquan Sundays only. and at Alexandria, Brooke, Milford, Doswell and Ashland.

5.26 P. M. daily. Atlantic Coast Line train. Stops at Alexandria, Doswell and Ashland.

8.06 P. M. daily. Seaboard Air Line train. Stops at Alexandria, Doswell and Ashland.

Accommodation trains leave Richmond 4 P. M. daily except Sunday. Arrive Fredericksburg 6.33 P. M. daily.

Note—Time of arrivals and departures and connections not guaranteed.

C. C. COX, Agent.
W. D. DUKE, C. W. CULP, W. F. TAYLOR, Gen. Man. Asst. Gen. Man. Traf. Man.

POTOMAC, FREDERICKSBURG AND PIEDMONT RAILROAD

THIRTEEN TABLE No. 10, Daily except Sunday, in effect from A. M. February 28th, 1904.

Station	Ar.	De.	Station	Ar.	De.		
A. M.	8	Fredericksburg	2.30	8.15	8	White	2.50
8.20	6	Milford	2.45	8.25	7	Ruby	2.54
8.30	6	Fredericksburg	2.50	8.35	7	Scottsville	2.58
8.40	6	Fredericksburg	2.55	8.45	7	Arling	3.02
8.55	11	Furnace	3.07	8.55	11	Furnace	3.10
9.00	11	Furnace	3.15	9.00	11	Furnace	3.20
9.10	11	Furnace	3.20	9.10	11	Furnace	3.25
9.15	11	Furnace	3.25	9.15	11	Furnace	3.30
9.20	11	Furnace	3.30	9.20	11	Furnace	3.35
9.25	11	Furnace	3.35	9.25	11	Furnace	3.40
9.30	11	Furnace	3.40	9.30	11	Furnace	3.45
9.35	11	Furnace	3.45	9.35	11	Furnace	3.50
9.40	11	Furnace	3.50	9.40	11	Furnace	3.55
9.45	11	Furnace	3.55	9.45	11	Furnace	4.00
9.50	11	Furnace	4.00	9.50	11	Furnace	4.05
9.55	11	Furnace	4.05	9.55	11	Furnace	4.10
10.00	11	Furnace	4.10	10.00	11	Furnace	4.15
10.05	11	Furnace	4.15	10.05	11	Furnace	4.20
10.10	11	Furnace	4.20	10.10	11	Furnace	4.25
10.15	11	Furnace	4.25	10.15	11	Furnace	4.30
10.20	11	Furnace	4.30	10.20	11	Furnace	4.35
10.25	11	Furnace	4.35	10.25	11	Furnace	4.40
10.30	11	Furnace	4.40	10.30	11	Furnace	4.45
10.35	11	Furnace	4.45	10.35	11	Furnace	4.50
10.40	11	Furnace	4.50	10.40	11	Furnace	4.55
10.45	11	Furnace	4.55	10.45	11	Furnace	5.00
10.50	11	Furnace	5.00	10.50	11	Furnace	5.05
10.55	11	Furnace	5.05	10.55	11	Furnace	5.10
11.00	11	Furnace	5.10	11.00	11	Furnace	5.15
11.05	11	Furnace	5.15	11.05	11	Furnace	5.20
11.10	11	Furnace	5.20	11.10	11	Furnace	5.25
11.15	11	Furnace	5.25	11.15	11	Furnace	5.30
11.20	11	Furnace	5.30	11.20	11	Furnace	5.35
11.25	11	Furnace	5.35	11.25	11	Furnace	5.40
11.30	11	Furnace	5.40	11.30	11	Furnace	5.45
11.35	11	Furnace	5.45	11.35	11	Furnace	5.50
11.40	11	Furnace	5.50	11.40	11	Furnace	5.55
11.45	11	Furnace	5.55	11.45	11	Furnace	6.00
11.50	11	Furnace	6.00	11.50	11	Furnace	6.05
11.55	11	Furnace	6.05	11.55	11	Furnace	6.10
12.00	11	Furnace	6.10	12.00	11	Furnace	6.15
12.05	11	Furnace	6.15	12.05	11	Furnace	6.20
12.10	11	Furnace	6.20	12.10	11	Furnace	6.25
12.15	11	Furnace	6.25	12.15	11	Furnace	6.30
12.20	11	Furnace	6.30	12.20	11	Furnace	6.35
12.25	11	Furnace	6.35	12.25	11	Furnace	6.40
12.30	11	Furnace	6.40	12.30	11	Furnace	6.45
12.35	11	Furnace	6.45	12.35	11	Furnace	6.50
12.40	11	Furnace	6.50	12.40	11	Furnace	6.55
12.45	11	Furnace	6.55	12.45	11	Furnace	7.00
12.50	11	Furnace	7.00	12.50	11	Furnace	7.05
12.55	11	Furnace	7.05	12.55	11	Furnace	7.10
1.00	11	Furnace	7.10	1.00	11	Furnace	7.15
1.05	11	Furnace	7.15	1.05	11	Furnace	7.20
1.10	11	Furnace	7.20	1.10	11	Furnace	7.25
1.15	11	Furnace	7.25	1.15	11	Furnace	7.30
1.20	11	Furnace	7.30	1.20	11	Furnace	7.35
1.25	11	Furnace	7.35	1.25	11	Furnace	7.40
1.30	11	Furnace	7.40	1.30	11	Furnace	7.45
1.35	11	Furnace	7.45	1.35	11	Furnace	7.50
1.40	11	Furnace	7.50	1.40	11	Furnace	7.55
1.45	11	Furnace	7.55	1.45	11	Furnace	8.00
1.50	11	Furnace	8.00	1.50	11	Furnace	8.05
1.55	11	Furnace	8.05	1.55	11	Furnace	8.10
2.00	11	Furnace	8.10	2.00	11	Furnace	8.15
2.05	11	Furnace	8.15	2.05	11	Furnace	8.20
2.10	11	Furnace	8.20	2.10	11	Furnace	8.25
2.15	11	Furnace	8.25	2.15	11	Furnace	8.30
2.20	11	Furnace	8.30	2.20	11	Furnace	8.35
2.25	11	Furnace	8.35	2.25	11	Furnace	8.40
2.30	11	Furnace	8.40	2.30	11	Furnace	8.45
2.35	11	Furnace	8.45	2.35	11	Furnace	8.50
2.40	11	Furnace	8.50	2.40	11	Furnace	8.55
2.45	11	Furnace	8.55	2.45	11	Furnace	9.00
2.50	11	Furnace	9.00	2.50	11	Furnace	9.05
2.55	11	Furnace	9.05	2.55	11	Furnace	9.10
3.00	11	Furnace	9.10	3.00	11	Furnace	9.15
3.05	11	Furnace	9.15	3.05	11	Furnace	9.20
3.10	11	Furnace	9.20	3.10	11	Furnace	9.25
3.15	11	Furnace	9.25	3.15	11	Furnace	9.30
3.20	11	Furnace	9.30	3.20	11	Furnace	9.35
3.25	11	Furnace	9.35	3.25	11	Furnace	9.40
3.30	11	Furnace	9.40	3.30	11	Furnace	9.45
3.35	11	Furnace	9.45	3.35	11	Furnace	9.50
3.40	11	Furnace	9.50	3.40	11	Furnace	9.55
3.45	11	Furnace	9.55	3.45	11	Furnace	10.00
3.50	11	Furnace	10.00	3.50	11	Furnace	10.05
3.55	11	Furnace	10.05	3.55	11	Furnace	10.10
4.00	11	Furnace	10.10	4.00	11	Furnace	10.15
4.05	11	Furnace	10.15	4.05	11	Furnace	10.20
4.10	11	Furnace	10.20	4.10	11	Furnace	10.25
4.15	11	Furnace	10.25	4.15	11	Furnace	10.30
4.20	11	Furnace	10.30	4.20	11	Furnace	10.35
4.25	11	Furnace	10.35	4.25	11	Furnace	10.40
4.30	11	Furnace	10.40	4.30	11	Furnace	10.45
4.35	11	Furnace	10.45	4.35	11	Furnace	10.50
4.40	11	Furnace	10.50	4.40	11	Furnace	10.55
4.45	11	Furnace	10.55	4.45	11	Furnace	11.00
4.50	11	Furnace	11.00	4.50	11	Furnace	11.05
4.55	11	Furnace	11.05	4.55	11	Furnace	11.10
5.00	11	Furnace	11.10	5.00	11	Furnace	11.15
5.05	11	Furnace	11.15	5.05	11	Furnace	11.20
5.10	11	Furnace	11.20	5.10	11	Furnace	11.25
5.15	11	Furnace	11.25	5.15	11	Furnace	11.30
5.20	11	Furnace	11.30	5.20	11	Furnace	11.35
5.25	11	Furnace	11.35	5.25	11	Furnace	11.40
5.30	11	Furnace	11.40	5.30	11	Furnace	11.45
5.35	11	Furnace	11.45	5.35	11	Furnace	11.50
5.40	11	Furnace	11.50	5.40	11	Furnace	11.55
5.45	11	Furnace	11.55	5.45	11	Furnace	12.00
5.50	11	Furnace	12.00	5.50	11	Furnace	12.05
5.55	11	Furnace	12.05	5.55	11	Furnace	12.10
6.00	11	Furnace	12.10	6.00	11	Furnace	12.15
6.05	11	Furnace	12.15	6.05	11	Furnace	12.20
6.10	11	Furnace	12.20	6.10	11	Furnace	12.25
6.15	11	Furnace	12.25	6.15	11	Furnace	12.30
6.20	11	Furnace	12.30	6.20	11	Furnace	12.35
6.25	11	Furnace	12.35	6.25	11	Furnace	12.40
6.30	11	Furnace	12.40	6.30	11	Furnace	12.45
6.35	11	Furnace	12.45	6.35	11	Furnace	12.50
6.40	11	Furnace	12.50	6.40	11	Furnace	12.55
6.45	11	Furnace	12.55	6.45	11	Furnace	1.00
6.50	11	Furnace	1.00	6.50	11	Furnace	1.05
6.55	11	Furnace	1.05	6.55	11	Furnace	1.10
7.00	11	Furnace	1.10	7.00	11	Furnace	1.15
7.05	11	Furnace	1.15	7.05	11	Furnace	1.20
7.10	11	Furnace	1.20	7.10	11	Furnace	1.25
7.15	11	Furnace	1.25	7.15	11	Furnace	1.30
7.20	11	Furnace	1.30	7.20	11	Furnace	1.35
7.25	11	Furnace	1.35	7.25	11	Furnace	1.40
7.30	11	Furnace	1.40	7.30	11	Furnace	1.45
7.35	11	Furnace	1.45	7.35	11	Furnace	1.50
7.40	11	Furnace	1.50	7.40	11	Furnace	1.55
7.45	11	Furnace	1.55	7.45	11	Furnace	2.00
7.50	11	Furnace	2.00	7.50	11	Furnace	2.05
7.55	11	Furnace	2.05	7.55	11	Furnace	2.10
8.00	11	Furnace	2.10	8.00	11	Furnace	2.15
8.05	11	Furnace	2.15	8.05	11	Furnace	2.20
8.10	11	Furnace	2.20	8.10	11	Furnace	2.25
8.15	11	Furnace	2.25	8.15	11	Furnace	2.30
8.20	11	Furnace	2.30	8.20	11	Furnace	2.35
8.25	11	Furnace	2.35	8.25	11	Furnace	2.40
8.30	11	Furnace	2.40	8.30	11	Furnace	2.45
8.35	11	Furnace	2.45	8.35	11	Furnace	2.50
8.40	11	Furnace	2.50	8.40	11	Furnace	2.55
8.45	11	Furnace	2.55	8.45	11	Furnace	3.00
8.50	11	Furnace	3.00	8.50	11	Furnace	3.05
8.55	11	Furnace	3.05	8.55	11	Furnace	3.10
9.00	11	Furnace	3.10	9.00	11	Furnace	3.15
9.05	11	Furnace	3.15	9.05	11	Furnace	3.20
9.10	11	Furnace	3.20	9.10	11	Furnace	3.25
9.15	11	Furnace	3.25	9.15	11	Furnace	3.30
9.20	11	Furnace	3.30	9.20	11	Furnace	3.35
9.25	11	Furnace	3.35	9.25	11	Furnace	3.40
9.30	11	Furnace	3.40	9.30	11	Furnace	3.45
9.35	11	Furnace	3.45	9.35	11	Furnace	3.50
9.40	11	Furnace	3.50	9.40	11	Furnace	3.55
9.45	11	Furnace	3.55	9.45	11	Furnace	4.00
9.50	11	Furnace	4.00	9.50	11	Furnace	4.05
9.55	11	Furnace	4.05	9.55	11	Furnace	4.10
10.00	11	Furnace	4.10	10.00	11	Furnace	4.15
10.05	11	Furnace	4.15	10.05	11	Furnace	4.20
10.10	11	Furnace	4.20	10.10	11	Furnace	4.25
10.15	11	Furnace	4.25	10.15	11	Furnace	4.30
10.20	11	Furnace	4.30	10.20	11	Furnace	4.35
10.25	11	Furnace	4.35	10.25	11	Furnace	4.40
10.3							